MANOMAY





Wi-Fi PROTECT PRO-X

All Time Colour Pan-Tilt Camera







2MP Resolution

For better clarity and detailed surveillance



Built-in High Sensitivity Mic & Speaker







IR Mode / Smart Mode Full Colour

IR Mode

Smart Mode

Full Colour Mode



Hotspot Mode Configuration

To connect without any network







Customized Audio Alarm

Human detection based recording and push notifications



Human Detection & Motion Tracking

Al Based humanoid detection with Motion tracking







6 Preset Location Points

Preset locations for easy and effective surveillance



Smart Notification on Mobile App

Push notifications on mobile app with snapshots







H.264 Video Compression

High quality video compression for optimum utilization of storage space



Manomay App

30 Days Cloud Recording


FREE

•REC

Configure your Camera in just 3 Quick Steps



Download Manomay App from App Store or Play Store



In app, **Tap "+"** sign & Scan QR Code from back of the camera



Follow set-up instructions and your camera is ready to use

2MP Wi-Fi Protect Pro-X All Time Colour Pan-Tilt Camera



Features

- 2MP Pan Tilt Indoor Camera
- Half Duplex Audio Intercom (Built-in High Sensitivity Mic & Speaker)
- Horizontal Rotation : 355°, Vertical Rotation : 110°
- Support 10x Digital Zoom
- Smart Dual Light Mode, for Colour Vision & Black & White
- 6 Preset Points for favourite location
- Smart Human Detection, Motion Detection, Motion Tracking,
- Mobile Notification on Human & Motion Detection
- Customized Pre-recorded Voice Alarm
- Support Micro SD Card up to 256GB & Cloud Storage(Optional)
- QR Code Scanning for Network Connection
- Monitoring : Mobile / PC Software (Manomay)
- Alexa Support



Product Code	M1047-A
Image Sensor	1/4.6" CMOS Sensor
Resolutions	2 Megapixel
Lens	4mm
LED	4 IR LEDs & 4 White LEDs
IR Distance	10 Meters
White LED Distance	10 Meters
Video Compression Standard	H.264
Video Streaming	Main Stream: 1920x1080@15 fps
	Sub Stream: 640x360@15 fps
Audio Input/Output	Two way audio, Built in microphone and speakers
Audio Compression Standard	AAC,G711A
Protocol	N1 (Onvif Not support)
Pan-Tilt Angle	Pan: 0° - 355°, Tilt: 0° - 110° Horizontal speed 20%, Vertical Speed 10%
Zoom	10x Digital
Light Mode	Infrared/Smart/Full Colour
DNR	3D Digital Noise Reduction
Day & Night	IR-cut Auto ICR
Min Illumination	Colour: 0.01 Lux, Black & White: 0.001 Lux
White Balance	Auto
WDR	D-WDR
Mirror/Flip	On/Off
Electronic Shutter	Auto
On Screen Display (OSD)	Date, Time, & Title
AI Features	Motion Detection, Human Detection, Motion Tracking.
Monitoring	Android, iOS, Windows (Manomay)
Slots	Micro SD Card
Storage	Support Micro SD Card up-to 256GB & Cloud Storage (Optional)

Button	Reset Button
Connection Mode	Wi-Fi (IEEE802.11b/g/n) Network
Power Input	DC: 5V/1A (Type-C)
Power Consumption	≤ 3W
Working Temperature / Humidity	0-50° C RH Less than 95% (No Condensation)
Storage Temperature / Humidity	-20° C to 60° C / 20% to 90% RH
Housing Material	Plastic (IP65)
Dimension	112.8mm X 69mm X 91mm (H x W x L)
Net Weight	182 Gms
Gross Weight	235 Gms

^{*}Note: Product Specifications are subject to change without prior notice.

- Applications -







HOMES SCHOOLS OFFICES







HOTELS SHOPS PETS